#### **RURAL MUNICIPALITY OF LAKEVIEW NO. 337**

#### BYLAW NO. 05/19

#### A BYLAW FOR THE PREVENTION AND CONTROL OF CLUBROOT DISEASE OF CRUCIFERS

The Council of the Rural Municipality of Lakeview No. 337, in the Province of Saskatchewan, enacts as follows:

1. This Bylaw may be referenced as the "Clubroot Bylaw."

#### PART 1 PURPOSE AND DEFINITIONS

#### **Purpose and Scope**

- 2. The Purpose of this Bylaw is to:
- a) Establish the requirements for clubroot reporting and notification
- b) Establish the requirements for clubroot management
- 3. The Pest Control Act authorizes municipalities and offices to act in relation to clubroot.
- a) Section 4 of *The Pest Control Act* states that "every person shall take measures to destroy, control and prevent the spread of all pests on any land or other premises owned, occupied or controlled by him"

#### Definitions

- 4. In this Bylaw:
- a) "Officer" means an officer within the meaning of *The Pest Control Act*;
- b) Owner and occupant are as defined in *The Municipalities Act*
- c) "Municipality" means the Rural Municipality of Lakeview No. 337

# PART 11

### **CLUBROOT REPORTING AND NOTIFICATION**

- 5. Every owner(s) and/or occupant of any land in the Municipality shall notify the Municipality in which the land is located of the presence of clubroot, within 30 business days of becoming aware of the same.
- 6. Notifications of the presence of clubroot shall be in writing (email or postal mail) and submitted to the office of the Rural Municipality of Lakeview No. 337
- 7. Where the officer believes that a person has contravened any provision of this Bylaw, a Bylaw Violation Notice may be served either personally or by mailing or leaving same at the last known address.
- 8. The Bylaw Violation Notice shall be in Schedule "1", attached to and forming part of this Bylaw.
- 9. The Bylaw Violation Notice shall be deemed to have been served:
- a) on the expiration of 24 hours after it is posted, if the notice is mailed;
- b) on the day of actual delivery, if the notice is served personally; or
- c) on the business day following the transmission, if given by facsimile.
- 10. Any person guilty of any infraction to any of the provisions of this bylaw shall upon summary conviction, be liable to a fine as per the General Penalty Bylaw.

# **PART 111**

#### **CLUBROOT MANAGEMENT**

- 11. Every owner(s) and/or occupant(s) of any land where clubroot has been identified through notification within the Municipality as per Part 11 or by any other means shall take measures to manage and prevent the spread of clubroot.
- 12. As required by the officer, the owner(s) and/or Occupant(s) of any clubroot infested land shall develop a Clubroot Management Agreement with the assistance of an agrologist currently practicing with the Saskatchewan Institute of Agrologists in accordance with the Clubroot Policy.
- 13. The owner(s) and/or Occupant(s) of any clubroot infested land within the Municipality shall provide the officer with the Clubroot Management Agreement within 30 days business days. The Officer will ensure that the Clubroot Management Agreement meets the

minimum requirements of *The Saskatchewan Clubroot Management Plan* and will execute the agreement with the owner(s) and/or occupant(s).

14. When a formal agreement between the owner(s) and/or occupant(s) and the offices cannot be reached, the officer shall write an order as per Section 19 of *The Pest Control Act*.

Reeve – Mervin Kryzanowski

Administrator – Carrie Turnbull

Read a third time and adopted this \_\_\_\_\_, 2019

Certified a true copy of Bylaw No.01/19 adopted by the Council of the R.M. of Lakeview No. 337 on the \_\_\_\_\_\_day of \_\_\_\_\_\_, 2019.

Seal

Seal

Carrie Turnbull - Administrator

# Schedule 1 to Bylaw No. 01/19

BYLAW VIOLATION NOTICE
RURAL MUNICIPALITY OF LAKEVIEW No. 337 BYLAW VIOLATION NOTICE
Name:
ADDRESS:
This official notice is issued for alleged breach of the following Bylaw:
Bylaw No. 01/19
Section#:
Offence:
Voluntary Payment:
DETAILS OF ALLEGED BREACH OF VIOLATION
Date and time of Violation:
Location of Violation:
PENALTY
Take notice that you may remit a voluntary payment to the Municipality in the amount stipulated above to avoid prosecution for this offence. Payment may be made in person at the municipal office or by mailing to: R.M. of Lakeview No. 337, Box 133, Wadena, SK. SOA 4J0.
If voluntary payment indicated above is not received by(specify date), a summons requiring your appearance in provincial court will be issued.
Issued thisday by(name of Officer)

(Signature of Officer)

### RURAL MUNICIPALITY OF LAKEVIEW No. 337 POLICY REGARDING THE PREVENTION AND CONTROL OF CLUBROOT

### PART 1 DEFINITIONS

1. In this policy:

- a) Clubroot confirmation means that clubroot disease symptoms were observed in a susceptible crop. Detection of the clubroot pathogen's DNA in a plant or soil sample, obtained by laboratory testing, may be conducted as needed to confirm clubroot diagnosis.
  - Detection of the clubroot pathogen's DNA on a plant or soil sample in the absence of visible symptoms is not sufficient for clubroot confirmation. When this occurs the landowner(s) and/or occupant(s) will be encouraged to implement proactive management strategies to prevent the spread of the clubroot pathogen and to keep pathogen low. Fields may be monitored in subsequent years for the development of clubroot symptoms to enable clubroot confirmation.
- b) "Council" means the Council of the Rural Municipality of Lakeview No. 337;
- c) "Officer" means an officer within the meaning of *The Pest Control Act*;
- d) Owner and occupant are as defined in The Municipalities Act;
- e) "Municipality" means the Rural Municipality of Lakeview No. 337;

#### PART 11 POLICY STATEMENTS

- 2. The Municipality recognizes that clubroot is a serious problem of cruciferous plants such as canola, mustard, camelina, oilseed radish, taramira and cruciferous vegetables such as arugula, broccoli, Brussels sprouts, cabbage, cauliflower, Chinese cabbage, kale, kohlrabi, radish, rutabaga, turnip and cruciferous weeds (e.g. stinkweed, shepherd's purse, wild mustard, volunteer canola).
- 3. The Municipality recognizes that the clubroot pathogen is soil-borne and therefore can be spread by soil movement on equipment vehicles, tires shoes, earth tag on seed and tubers grown in clubroot infested soil or any other activity or event that results in the movement of soil.
- 4. The Municipality supports the principle to control the spread of clubroot, which has been declared a pest under *The Pest Control Act*.
- 5. The Pest Control Act authorizes municipalities and officers to act in relation to clubroot.

# PART 111 CLUBROOT NOTIFICATION AND CONFIRMATION

- 6. By way of the Municipalities Clubroot Bylaw (Bylaw Number 01/19) every owner and-or occupant of land shall notify the Municipality or officer of the Municipality in which the land is located in writing (email or posted mail), within 30 business days of confirmation of the presence of clubroot and provide the exact location of the disease. Form A may be used as a template for notification and documentation of the location of the clubroot within the field.
- 7. Personal survey protocol and details of self-reporting clubroot findings is to be considered confidential and kept on file in the office of the Municipality and released only to authorized municipal or provincial government personnel and the person(s) owning, occupying or controlling the land. Disclosure is subject to agreement reached with the landowner(s) and/or occupant(s), in the best interests of the community in accordance with *The Saskatchewan Clubroot Management Plan*.
- 8. Clubroot field inspections shall be conducted by officer(s) to monitor for clubroot and/or enforce *The Pest Control Act* within the municipality.
- 9. Clubroot survey procedures and the reporting form will follow standard protocols as recommended by the Saskatchewan Clubroot Initiative and the Saskatchewan Ministry of Agriculture (see Schedule A).

#### PART IV CLUBROOT MANAGEMENT

- 10. By way of the Municipality's Clubroot Bylaw (Bylaw No. 01/19) the owner(s) and/or occupants of land where clubroot has been confirmed shall develop a Clubroot Management Agreement (using form B) with the assistance of an agrologist currently practicing with the Saskatchewan Institute of Agrologists.
- 11. The Saskatchewan Clubroot Management Plan shall be referred to and used as a guide for any control/prevention measures. An updated copy of this document can be obtained by calling the Saskatchewan Agriculture Knowledge Center at 1-866-457-2377.
- 12. The Clubroot Management Agreement (Form B) agreed upon between the owner(s) and/or occupant(s) and the officer shall:
  - a) Meet the minimum standards as identified within *The Saskatchewan Clubroot Management Plan.*
  - b) Include actions to manage and prevent the spread of clubroot
  - c) Require the owner(s) and/or occupant to disclose that clubroot has been confirmed if the land is sold or rented to another owner(s) and/or occupant(s)
  - d) Require notification of occupants and easement holders who have access to the land to enable biosecurity actions to prevent the spread of clubroot.
  - e) Be returned to the officer within 30 business days.
  - f) Shall be signed by the landowner(s) and/or occupant(s) of the land and the officer.
- 13. When a formal agreement cannot be reached or the landowner(s) and/or occupant(s) fail to carry out measures outlined in the Clubroot Management Agreement entered into 11, the offices may write an order as per Section 19 of *The Pest Control Act* using Form C.
- 14. The owner(s) and/or occupant(s) shall take all actions as ordered by the officer.

### ADOPTION

15. This Policy is hereby authorized and in place upon signing

Reeve – Mervin Kryzanowski

Administrator – Carrie Turnbull

Adopted this \_\_\_\_\_ day of \_\_\_\_\_, 2019.

Administrator – Carrie Turnbull

### **CLUBROOT SURVEY FORM – FORM A**

			West of the 2 <sup>nd</sup> Meridian
And/or GPS Coordinates N As shown on the diagram a		W	
or- Number, Street:		Town/City	
Pest Control Officer:			
Surveyor Name (if dif	ferent than	above):	
Address:			
Phone:	Email: _		
Landowner Name:			
Farmer/Producer Nar	ne:		
Date surveyed:			
Is this survey part of an agr	eement with th	ne landowner or an order	r?
<b>Tillage Information (i</b> Fall 20: No tilla	<b>f applicable</b> geCulti	/known): ivation(#of times)	r? Discing(#of times)
<b>Tillage Information (i</b> Fall 20: No tilla Other: ((Please Spec Spring 20: No ti	<b>f applicable</b> geCulti cify) # of times illageC	/known): ivation(#of times) s) Cultivation(# of times) _	Discing(#of times) Discing(#of times)
<b>Tillage Information (i</b> Fall 20: No tilla Other: ((Please Spec Spring 20: No ti Other: ((Please Specify) an	f applicable, geCulti cify) # of times illageC d # of times): _	/known): ivation(#of times) s) Cultivation(# of times)	Discing(#of times) Discing(#of times)
Tillage Information (i Fall 20: No tilla Other: ((Please Spec Spring 20: No ti Other: ((Please Specify) an Seeding Information ( Crop: Va	f applicable, geCulti cify) # of times illageC d # of times): _ (if applicable ariety:	/known): ivation(#of times) s) Cultivation(# of times) e/known): Source: Certified	Discing(#of times) Discing(#of times) Common
Tillage Information (i Fall 20: No tilla Other: ((Please Spec Spring 20: No ti Other: ((Please Specify) an Seeding Information ( Crop: Va	f applicable, geCulti cify) # of times illageC d # of times): _ (if applicable ariety:	/known): ivation(#of times) s) Cultivation(# of times) e/known): Source: Certified	Discing(#of times) Discing(#of times)
Tillage Information (i Fall 20: No tilla Other: ((Please Spec Spring 20: No ti Other: ((Please Specify) an Seeding Information ( Crop: Va Seeding date (if ava	f applicable, geCulti cify) # of times illageC d # of times): (if applicable ariety: illable):	/known): ivation(#of times) s) Cultivation(# of times) _ e/known): Source: Certified Seeding Rate	Discing(#of times) Discing(#of times) Common
Tillage Information (i Fall 20: No tilla Other: ((Please Spec Spring 20: No ti Other: ((Please Specify) an Seeding Information ( Crop: Va Seeding date (if ava Total rainfall (if ava	f applicable, geCulti cify) # of times illageC d # of times): _ (if applicable ariety: illable): ailable):June	/known): ivation(#of times)s) Cultivation(# of times) e/known): Source: Certified Seeding Rate- July	Discing(#of times) Discing(#of times) Common (lbs./ac/ or kg/ha)
Tillage Information (i Fall 20: No tilla Other: ((Please Spec Spring 20: No ti Other: ((Please Specify) an Seeding Information ( Crop: Va Seeding date (if ava Total rainfall (if ava	f applicable, geCulti cify) # of times illageC d # of times): (if applicable ailable): (if applicab	/known): ivation(#of times)s) Cultivation(# of times) e/known): Source: Certified Seeding Rate July le/known):	Discing(#of times) Discing(#of times) Common (lbs./ac/ or kg/ha) Irrigated: YES No
Tillage Information (i Fall 20: No tilla Other: ((Please Spec Spring 20: No ti Other: ((Please Specify) an Seeding Information ( Crop:Va Seeding date (if ava Total rainfall (if ava Rotation Information (please list canola variety u	f applicable, geCulti cify) # of times illageC d # of times): _ (if applicable ariety: ailable): (if applicable):June (if applicable):sed in previous	/known): ivation(#of times)	Discing(#of times) Discing(#of times) Common (lbs./ac/ or kg/ha) Irrigated: YES No
Tillage Information (i Fall 20: No tilla Other: ((Please Spec Spring 20: No ti Other: ((Please Specify) an Seeding Information ( Crop: Va Seeding date (if ava Total rainfall (if ava Total rainfall (if ava Rotation Information (please list canola variety u 20: WheatBa OatsRye	f applicable, geCulti cify) # of times illageC d # of times): (if applicable ailable): June (if applicab sed in previous arleyCa Potato	/known): ivation(#of times)	Discing(#of times) Discing(#of times) Common (lbs./ac/ or kg/ha) Irrigated: YES No , lentil, dry bean Forage Legumes
Tillage Information (i Fall 20: No tilla Other: ((Please Spec Spring 20: No ti Other: ((Please Specify) an Seeding Information ( Crop: Va Seeding date (if ava Total rainfall (if ava Total rainfall (if ava Rotation Information (please list canola variety u 20: WheatBa OatsRye	f applicable, geCulti cify) # of times illageC d # of times): (if applicable ailable): June (if applicab sed in previous arleyCa Potato	/known): ivation(#of times)	Discing(#of times) Discing(#of times) Common (lbs./ac/ or kg/ha) Irrigated: YES No , lentil, dry bean Forage Legumes
<b>Tillage Information (i</b> Fall 20: No tilla   Other: ((Please Spec   Spring 20: No ti   Other: ((Please Specify) an   Seeding Information (   Crop: Va   Seeding date (if ava   Total rainfall (if ava   Total rainfall (if ava   (please list canola variety u   20: Wheat Ba   Oats(please specify)   20: Wheat Ba	f applicable, geCulti cify) # of times illageC d # of times): (if applicable ariety: ailable): June (if applicable): June (if applicable): June (if applicable): June ailable): June (if applicable): June	/known): ivation(#of times)	Discing(#of times) Discing(#of times) Common (lbs./ac/ or kg/ha) Irrigated: YES No , lentil, dry bean , lentil, dry bean , lentil, dry bean
Other: ((Please Spec Spring 20: No ti Other: ((Please Specify) an Seeding Information ( Crop: Va Seeding date (if ava	f applicable, geCulti cify) # of times illageC d # of times): (if applicable ariety: ailable): June (if applicable): June (if applicable): June (if applicable): June arileyCa Potato Potato	/known): ivation(#of times)	Discing(#of times) Discing(#of times) Common (lbs./ac/ or kg/ha) Irrigated: YES No , lentil, dry bean , lentil, dry bean , lentil, dry bean Forage Legumes

All survey information is considered **confidential** and is to be kept on file in the office of the municipality and released only to authorized municipal or provincial government personnel and the person owning, occupying or controlling the land surveyed. Disclosure is subject to the agreement reached or orders issued in the even of a positive clubroot finding, as outlined in the clubroot policy of the municipality.

Municipality of Lakeview No. 337 Clubroot Policy

**Field Traffic:** Is there occasional traffic on to the field, i.e. oil pumping rigs, power installations, research plots, recreational vehicles (ATV's), etc.

# TYPE OF SAMPLE(S) COLLECTED (circle one or both):

SO	OIL	PLA	NTS
Number of samples:		Number of samples:	

# DIAGRAM SHOWING LOCATION OF FIELD ENTRANCE and/or SAMPLES:

(may be supplemented with map printed from GIS software)

North-West 1/4	North-East 1/4

South-West 1/4

South-East 1/4

# **CLUBROOT SURVEY PROTOCOL – SCHEDULE A**

**Introduction:** Clubroot is a soil-borne disease caused by a microbe, *Plasmodiophora brassicae*. Clubroot affects the roots of cruciferous field crops field crops such as canola, mustard, camelina, oilseed radish and taramir. It also affects cruciferous field crops such as canola, mustard, camelina, oilseed radish and taramira. It also affects cruciferous vegetables such as arugula, broccoli, Brussels sprouts, cabbage, cauliflower, Chinese cabbage, kale, kohlrabi, radish, rutabaga and turnip, as well as cruciferous weeds (e.g. stinkweed, shepherd's purse, wild mustard, volunteer canola).

**Symptoms:** Invasion of host roots leads to the formation of clubroot galls. These deformed roots have a reduced ability to absorb water and nutrients leading to stunting, wilting, yellowing, premature ripening and shriveling of seeds. The cause of these above-ground symptoms can be confirmed by digging up suspect plants to check roots for gall formation. Clubroot affects canola yield and quality to a similar degree as other diseases affecting water and nutrient uptake, and its impact depends on soil conditions and the growth stage of the crop when infection occurs and the level of the pathogen in the soil. Early infection of seedlings can result in significant yield losses. Spore germination of Plasmodiophora, infection and disease development are favoured by warm soils, high soil moisture and low soil pH.

Clubroot survey sheets (FormA)	Hand trowel	Disposable booties and	
		gloves	
Clipboard and pen	Pocket knife	Garbage bags	
GPS unit or maps	Pail of two per cent bleach	Two per cent bleach solution	
Paper bags or boxes	for soaking/cleaning tools	in misting bottle	

Equipment and Materials Needed:

Plant Sample Survey Procedure:

- 1. As clubroot may take six to eight weeks to develop, symptoms are most detectable later in the growing season (late July or August).
- 2. Records must be kept for all fields visiting using *Form A* clubroot survey sheets.
- 3. Do not drive into field access, but park on the road whenever possible. Surveyors can walk into infested fields but must follow human sanitation procedures.
- 4. If survey personnel enter a field in any potentially infested regions, whether it is known to have clubroot or not, they are to follow these procedures:
  - Wear disposable footwear that can be removed immediately after leaving the field. Another option is to use rubber boots or other footwear that can be sterilized (misted) with a disinfectant solution (two percent bleach) upon leaving the field.
  - Dispose of the disposable footwear in a sterile fashion. Sealing in a garbage bag and incinerating is preferred. Do not reuse disposable footwear.
  - Clean and disinfect any tools that may have been in contact with soil in the field.
- 5. Observe 20 plants at the field entrance and at each five additional sites in the field, for a total of 100 plants. Keep each of these five sites at least 20 metres from each other and at least 20 metres from the field edge.
- 6. If patches of premature ripening are observed, particularly in field entrance or corners of field, dig or pull up plants, shake off excess soil and inspect roots for the presence of galls. If clubroot is suspected, cut off stems and collect root samples.
- Air-dry root samples in paper envelopes/boxes/bags and send them to the Ministry of Agriculture's Crop Protection Laboratory at 346 McDonald Street, Regina, SKS4N 6P6, telephone (306) 787-8130. You may mail, courier or drop off samples in person. There is a \$20 fee for a visual inspection.
- 8. If the visual diagnosis is positive, root samples will be forwarded to a laboratory on behalf of the municipality for DNA testing. Cost of the DNA testing will depend on the current fee set by the credited laboratory (approximately \$100).

Soil Sample Survey Procedure:

•

- 1. Soil samples can be collected at any time but soil should be dried after collection.
- 2. Records must be kept for all fields visited using Form A clubroot survey sheets.
- 3. Do not drive into field or access, but park on the road whenever possible. Surveyors can walk into infested fields but must follow human sanitation procedures.
- 4. If survey personnel enter a field in any potentially infested regions, whether it is known to have clubroot or not, they are to follow these procedures:
  - Wear disposable footwear that can be removed immediately after leaving the field. Another option is to use rubber boots or other footwear that can be sterilized (misted) with a disinfectant solution (two percent bleach) upon leaving the field.
  - Dispose of the disposable footwear in a sterile fashion. Sealing in a garbage bag and incinerating is preferred. Do not reuse disposable footwear.
    - Clean and disinfect any tools that may have been in contact with soil in the field.
- 5. Soil samples should be comprised of a mixture of small scoops (approximately one cup each) of soil taken at each of the 5 sites visited in one field. Because clubroot is most likely to arrive on soil attached to vehicles and field equipment, IF the entrance to the field is evident, these 5 sites should be located in the vicinity of this approach. Clear away residue from the soil surface, and scoop approximately 1 cup of the top 5 10 cm of soil at each site (total 1 litre from all 5 sites combined). Keep each of these five sites at least 20 metres from each other and at least 20 metres from the field edge.
- 6. Air-dry soil samples on paper boxes and send them to laboratory for DNA testing. Cost of the DNA testing will depend on the current fee set by the credited laboratory (approximately \$100).
  - For a list of laboratories providing clubroot testing, please visit: <u>www.clubroot.ca</u> (click on Identify Clubroot) or contact the Crop Protection Laboratory in Regina.

# **CLUBROOT MANAGEMENT AGREEMENT – FORM B**

Agreement No		
Date of Agreement	, 20	
	Agreemer	nt between
Owner, Occupant or Operator	-and-	Pest Control Officer
(Name)	_	(Name)
(Address)	_	(Address)
		NoNO.
pest control officer, hereby ackno different from above):	owledge the pre-	ng this day confirmed with the above-mentioned esence of clubroot, on the land located at (if 
And/or GPS Coordinates N As shown on the diagram attache		and W
OR Number, Street:		Town/City:
		cify details of the Clubroot Management rol and prevent the spread of clubroot):
Signed(Owner and Occupant)		
Signed(Pest Control Officer)		

# DIAGRAM SHOWING LOCATION OF CLUBROOT (may be supplemented with map printed form GIS software)

North-West 1/	/4	North-E	ast 1/4
South-West 1/	/4	South-E	ast 1/4
Section	Township	Range	west of 2 <sup>nd</sup> Meridian
GPS coordinates: N _			
			icate all clubroot present.)
(These locations are a	pproximations only a	nd do not necessarily ind	icate an clubroot present.)
Note: This agreement copies 2 and 3 are to			for the owner/occupant, and

Copy 1: Owner Copy 2: Municipality Copy 3: Government of Saskatchewan

### **CLUBROOT ORDER**

Order No	
Date of Issue:, 20	
То:	Address:
Telephone:	
It has come to my attention that clubroot, a (please check one box)	a declared pest under The Pest Control Act:
$\Box$ Has been confirmed on your land c	described as (if different from above):
1/4S T	R West of the 2md Meridian
OR	
Number, Street:	Town/City:
And/or GPS Coordinates N	W
And as shown on the diagram attached.	
	-or-
□ Are present in soil adhering to you	r machine described as:

(*description of machine, including serial number and, if applicable, licence plate*)

In accordance with the Clubroot Bylaw for the municipality, you are hereby notified:

(Detail instructions including methods to be used to control clubroot or sanitize machine and setting out any prohibitions or other measures the Pest Control Office considers necessary or appropriate).

(Pest Control Officer) Municipality of Lakeview No. 337

### DIAGRAM SHOWING LOCATION OF CLUBROOT (may be supplemented with map printed from GIS software)

North-West 1/4	-	North-E	East 1/4
South-West 1/4		South-E	Cost 1/4
South-west 1/4		Souii-E	ast 1/4
Section	_ Township	Range	west of 2 <sup>nd</sup> Meridian
GPS coordinates: N		W	
(These locations are ap	proximations only an	d do not necessarily ind	licate all clubroot present.)

Note: This order to be made in triplicate. The original copy is for the owner/occupant, and copies 2 and 3 are to be submitted to the municipality.

Copy 1: Owner/Occupant/Person in charge of machine Copy 2: Municipality Copy 3: Government of Saskatchewan